2500/405

NATIONAL QUALIFICATIONS 2008 THURSDAY, 8 MAY 1.30 PM - 2.25 PM MATHEMATICS STANDARD GRADE Credit Level Paper 1 (Non-calculator)

1 You may NOT use a calculator.

- 2 Answer as many questions as you can.
- 3 Full credit will be given only where the solution contains appropriate working.
- 4 Square-ruled paper is provided.





FORMULAE LIST

The roots of $ax^2 + bx + c = 0$ are $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

Sine rule: $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine rule: $a^2 = b^2 + c^2 - 2bc \cos A$ or $\cos A = \frac{b^2 + c^2 - a^2}{2bc}$

Area of a triangle: Area $=\frac{1}{2}ab \sin C$

Standard deviation: $s = \sqrt{\frac{\sum (x - \overline{x})^2}{n - 1}} = \sqrt{\frac{\sum x^2 - (\sum x)^2 / n}{n - 1}}$, where *n* is the sample size.

1. Evaluate

 $24 \cdot 7 - 0 \cdot 63 \times 30.$


 $5x^2 - 45$.


2. Factorise fully

 $3. W = BH^2.$

Change the subject of the formula to H.

4. A straight line cuts the x-axis at the point (9, 0) and the y-axis at the point (0, 18) as shown.





[Turn over

3

2


KU RE

2

Express as a single fraction in its simplest form	KU	RE
$\frac{1}{p} + \frac{2}{(p+5)}.$	2	
 Jane enters a two-part race. (a) She cycles for 2 hours at a speed of (x + 8) kilometres per hour. Write down an expression in x for the distance cycled. (b) She then runs for 30 minutes at a speed of x kilometres per hour. Write down an expression in x for the distance run. 	1	
(c) The total distance of the race is 46 kilometres.Calculate Jane's running speed.		3
 The 4th term of each number pattern below is the mean of the previous three terms. (a) When the first three terms are 1, 6, and 8, calculate the 4th term. (b) When the first three terms are x, (x + 7) and (x + 11), calculate the 4th term. (c) When the first, second and fourth terms are 	1	1
-2x, $(x + 5)$,, $(2x + 4)$, calculate the 3rd term.		2
	 Jane enters a two-part race. (a) She cycles for 2 hours at a speed of (x + 8) kilometres per hour. Write down an expression in x for the distance cycled. (b) She then runs for 30 minutes at a speed of x kilometres per hour. Write down an expression in x for the distance run. (c) The total distance of the race is 46 kilometres. Calculate Jane's running speed. The 4th term of each number pattern below is the mean of the previous three terms. (a) When the first three terms are 1, 6, and 8, calculate the 4th term. (b) When the first three terms are x, (x + 7) and (x + 11), calculate the 4th term. (c) When the first, second and fourth terms are 1, -2x, (x + 5), (2x + 4), 	 Express as a single fraction in its simplest form \$\frac{1}{p} + \frac{2}{(p+5)}\$. Jane enters a two-part race. (a) She cycles for 2 hours at a speed of (x + 8) kilometres per hour. Write down an expression in x for the distance cycled. (b) She then runs for 30 minutes at a speed of x kilometres per hour. Write down an expression in x for the distance run. (c) The total distance of the race is 46 kilometres. Calculate Jane's running speed. The 4th term of each number pattern below is the mean of the previous three terms. (a) When the first three terms are 1, 6, and 8, calculate the 4th term. (b) When the first three terms are x, (x + 7) and (x + 11), calculate the 4th term. (c) When the first, second and fourth terms are -2x, (x + 5),, (2x + 4),

8. The curved part of the letter A in the *Artwork* logo is in the shape of a parabola.

The equation of this parabola is y = (x-8)(2-x).




- (a) Write down the coordinates of Q and R.
- (b) Calculate the height, h, of the letter A.
- 9. Simplify

$$m^3 \times \sqrt{m}$$
.

[Turn over

2

2



KU RE

10. Part of the graph of $y = a^x$, where a > 0, is shown below.

12. Given that

$$x^2 - 10x + 18 = (x - a)^2 + b,$$

find the values of *a* and *b*.

13. A new fraction is obtained by adding x to the numerator and denominator of the fraction $\frac{17}{24}$.

This new fraction is equivalent to $\frac{2}{3}$.

Calculate the value of *x*.

[END OF QUESTION PAPER]

[2500/405]

3

KU RE

[BLANK PAGE]

2500/406

NATIONAL QUALIFICATIONS 2008

THURSDAY, 8 MAY 2.45 PM - 4.05 PM MATHEMATICS STANDARD GRADE Credit Level Paper 2

1 You may use a calculator.

- 2 Answer as many questions as you can.
- 3 Full credit will be given only where the solution contains appropriate working.
- 4 Square-ruled paper is provided.





FORMULAE LIST

The roots of $ax^2 + bx + c = 0$ are $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$


Sine rule: $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine rule: $a^2 = b^2 + c^2 - 2bc \cos A$ or $\cos A = \frac{b^2 + c^2 - a^2}{2bc}$


Area of a triangle: Area $=\frac{1}{2}ab \sin C$

Standard deviation: $s = \sqrt{\frac{\sum (x - \overline{x})^2}{n - 1}} = \sqrt{\frac{\sum x^2 - (\sum x)^2 / n}{n - 1}}$, where *n* is the sample size.

1.	A local council recycles 42 000 tonnes of waste a year.	KU	RE
	The council aims to increase the amount of waste recycled by 8% each year.		
	How much waste does it expect to recycle in 3 years time?		
	Give your answer to three significant figures.	4	
2.	In a class, 30 pupils sat a test. The marks are illustrated by the stem and leaf diagram below.		
	The marks are mustrated by the stem and leaf diagram below.		
	<u>Test Marks</u>		
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		
	$n = 30$ $1 \mid 6 = 16$		
	(<i>a</i>) Write down the median and the modal mark.	2	
	(b) Find the probability that a pupil selected at random scored at least 40 marks.	1	
3.	In a sale, all cameras are reduced by 20%. A camera now costs f_{c} 45. Calculate the original cost of the camera.	3	
	[Turn over		
	P_{age} three		



5. A circle, centre the origin, is shown.P is the point (8, 1).



(*a*) Calculate the length of OP.

The diagram also shows a tangent from P which touches the circle at T. The radius of the circle is 5 units.

(*b*) Calculate the length of PT.

above sea level. From a cliff top 16 metres above sea level, the distance to the horizon is 14 kilometres. A boat is 20 kilometres from a cliff whose top is 40 metres above sea level. Is the boat beyond the horizon? Justify your answer. 5 7. A telegraph pole is 6.2 metres high. $6 \cdot 2 \,\mathrm{m}$ The wind blows the pole over into the position as shown below. В 30 C AB is 2.9 metres and angle ABC is 130° . Calculate the length of AC. 4 [Turn over Page five


The distance, d kilometres, to the horizon, when viewed from a cliff top,

varies directly as the square root of the height, h metres, of the cliff top

KU RE

6.


8. A farmer builds a sheep-pen using two lengths of fencing and a wall.



The two lengths of fencing are 15 metres and 18 metres long.

- (a) Calculate the area of the sheep-pen, when the angle between the fencing is 70 °.
- (b) What angle between the fencing would give the farmer the largest possible area?
- Contestants in a quiz have 25 seconds to answer a question. This time is indicated on the clock.

The tip of the clock hand moves through the arc AB as shown.



- (a) Calculate the size of angle AOB.
- (b) The length of arc AB is 120 centimetres.Calculate the length of the clock hand.

1

4

KU RE

3


KU|RE 10. To hire a car costs $\pounds 25$ per day plus a mileage charge. The first 200 miles are free with each additional mile charged at 12 pence. CAR HIRE £25 per day • first 200 miles free • each additional mile only 12p (a) Calculate the cost of hiring a car for 4 days when the mileage is 640 miles. 1 (b) A car is hired for d days and the mileage is m miles where m > 200. Write down a formula for the cost $\pounds C$ of hiring the car. 3 11. The minimum number of roads joining 4 towns to each other is 6 as shown. The minimum number of roads, r, joining n towns to each other is given by the formula $r = \frac{1}{2}n(n-1).$ (a) State the minimum number of roads needed to join 7 towns to each 1 other. (*b*) When r = 55, show that $n^2 - n - 110 = 0$. 2 (c) Hence find **algebraically** the value of *n*. 3

[Turn over for Question 12 on Page eight |

12. The diagram shows part of the graph of $y = \tan x^\circ$. The line y = 5 is drawn and intersects the graph of $y = \tan x^\circ$ at P and Q. KU RE

3

1



- (*a*) Find the *x*-coordinates of P and Q.
- (b) Write down the x-coordinate of the point R, where the line y = 5 next intersects the graph of $y = \tan x^{\circ}$.

[END OF QUESTION PAPER]